according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

UFI:

C8MW-5DMA-DJ69-WS89

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dosage: give 5-10 ml on 1 litre of water, well mix.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax:06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	
1.4. Emergency telephone	06131 19240 Giftinformationsze	entrum (GIZ) der Länder Rheinland-Pfalz und
number:	Hessen	

Further Information

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling dipentene; limonene

citral beta-Pinen alpha-Pinen 3,7-Dimthylocta-2,6-dien-1-ol Signal word: Warning

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Pictograms:

Product code: F1000614

Page 2 of 9



Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

oouullonuly olulonion	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2 to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Special labelling of certain mixtures

Contains dipentene; limonene, citral, beta-Pinen, alpha-Pinen, 3,7-Dimthylocta-2,6-dien-1 -ol. May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning Pictograms: Warning Hazard statements

H317

EUH208

Precautionary statements

P261-P272-P280-P333+P313-P362+P364

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 3 of 9

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Re	gulation)		
67-63-0	propan-2-ol; isopropyl alco	hol; isopropanol		45 - < 50 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, S	TOT SE 3; H225 H319 H336		
138-86-3	dipentene; limonene			15 - < 20 %
	205-341-0	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, S H400 H410	kin Sens. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H226 H315 H317	
99-85-4	p-Mentha-1,4-dien			1 - < 5 %
	202-794-6			
	Flam. Liq. 3, Asp. Tox. 1; I	H226 H304		
5392-40-5	citral			< 1 %
	226-394-6	605-019-00-3		
	Skin Irrit. 2, Skin Sens. 1;	H315 H317		
18172-67-3	beta-Pinen			< 1 %
	242-060-2			
	Flam. Liq. 3, Skin Sens. 1, H400 H410	Asp. Tox. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H226 H317 H304	
7785-26-4	alpha-Pinen			< 1 %
	232-077-3			
	Flam. Liq. 3, Skin Sens. 1, H400 H410	Asp. Tox. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H226 H317 H304	
79-92-5	Camphen			< 1 %
	201-234-8			
	Flam. Sol. 1, Eye Irrit. 2, A	quatic Chronic 1; H228 H319 H41	0	
106-24-1	geraniol; (2E)-3,7-dimethy	locta-2,6-dien-1-ol		< 1 %
	203-377-1	603-241-00-5		
	Skin Sens. 1; H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	45 - < 50 %
	inhalation: LC5 4570-5045 mg/	0 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = kg	
5392-40-5	226-394-6	citral	< 1 %
	dermal: LD50 =	= 2250 mg/kg; oral: LD50 = >5000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 4 of 9

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

No special measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Do not rinse down with water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

No data available

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 5 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation.Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical ar	iu chemical properties	
Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point a	and	not determined
boiling range:		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		24 °C
Auto-ignition temperature:		not determined
pH-Value (at 20 °C):		5-6
Water solubility:		Immiscible
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		0,900 g/cm³
Relative density:		not determined
9.2. Other information		
Information with regard to physic	al hazard classes	
Explosive properties		
not Explosive.		
Sustaining combustion:		No data available
Other safety characteristics		
Sublimation point:		not determined
Flow time:		not determined

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

No known hazardous decomposition products.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name			
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alo	propan-2-ol; isopropyl alcohol; isopropanol			
	oral	LD50 4570- 5045 mg/kg	Rat.		
	dermal	LD50 12800- 13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
5392-40-5	citral				
	oral	LD50 >5000 mg/kg			
	dermal	LD50 2250 mg/kg			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains dipentene; limonene, citral, beta-Pinen, alpha-Pinen, 3,7-Dimthylocta-2,6-dien-1-ol. May produce an allergic reaction.May cause an allergic skin reaction. (dipentene; limonene; citral; beta-Pinen; alpha-Pinen; geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023

Product code: F1000614

Page 7 of 9

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive.

- Mutagen
- none
- Carcinogenicity
- none
- Teratogen
- none
- Phototoxicity none

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

2 hazardous to water (WGK 2) Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation. Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1993

according to UK REACH Regulation

Event Saunaduftk	onzentrat Limette ArtNr. 648405, 648005, 648205	
Revision date: 08.06.2023	Product code: F1000614	Page 8 of 9
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL))	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Classification code:	F1	
Special Provisions:	274 601	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	30	
Tunnel restriction code:	D/E	
Other applicable information (land transp	ort)	
Special provisions: 274 601 640H		
Transport category: 3		
Marine transport (IMDG)	1111 (2020	
14.1. UN number or ID number:	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL)))
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	223, 274, 955	
Limited quantity:	5 L E1	
Excepted quantity: EmS:	F-E. S-E	
Other applicable information (marine trar	,	
Special provisions: 223, 330, 274, 944,		
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions:	A3	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L	
IATA-packing instructions - Cargo:	366	
IATA-max. quantity - Cargo:	220 L	
Other applicable information (air transpor Special provisions: A3	t)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
14.6. Special precautions for user	165	
Flammable liquids		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Pagulatory information		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to UK REACH Regulation

Event Saunaduftkonzentrat Limette Art.-Nr. 648405, 648005, 648205

Revision date: 08.06.2023	Product code: F1000614	Page 9 of 9
EU regulatory information Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75 2004/42/EC (VOC):	531 g/l	
National regulatory information Water hazard class (D): Additional information Customs tariff number 33029010	2 - obviously hazardous to water	
<u>15.2. Chemical safety assessment</u> For this substance a chemical safety as	ssessment has not been carried out.	

SECTION 16: Other information

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

elevant it and Eon statements (number and fun text)	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains dipentene; limonene, citral, beta-Pinen, alpha-Pinen, 3,7-Dimthylocta-2,6-dien-1 -ol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)