according to UK REACH Regulation

Saunaduft Easy	Gebirgslatschenkiefer
----------------	-----------------------

Revision date: 08.06.2023

Product code: F1000307FL

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Saunaduft Easy Gebirgslatschenkiefer

UFI:

E1QW-CDQ1-6J64-2PWC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Dosage: 30 give - 40 ml on 1 l of water, well mix.

#### Uses advised against

No data available

### 1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	
1.4. Emergency telephone	06131 19240 Giftinformationsze	entrum (GIZ) der Länder Rheinland-Pfalz und
number:	Hessen	

#### **Further Information**

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 3; H226 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### **GB CLP Regulation**

Hazard components for labelling propan-2-ol; isopropyl alcohol; isopropanol

Warning

Signal word:

**Pictograms:** 





### Hazard statements

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

# according to UK REACH Regulation

Saunaduft Easy Gebirgslatschenkiefer					
Revision date: 08.06.2023	Product code: F1000307FL	Page 2 of 9			
H412	Harmful to aquatic life with long lasting effects.				
Precautionary statemer	nts				
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
P261	Avoid breathing smoke.				
P271	Use only outdoors or in a well-ventilated area.				
P273	Avoid release to the environment.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P312	Call a POISON CENTER/doctor if you feel unwell.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P337+P313	If eye irritation persists: Get medical advice/attention.				
P370+P378	In case of fire: Use CO2 to extinguish.				
P233	Keep container tightly closed.				
P403+P235	Store in a well-ventilated place. Keep cool.				
P405	Store locked up.				
Special labelling of cert	tain mixtures				
EUH208	Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.				

H412 Precautionary statements

Labelling of packages where the contents do not exceed 125 ml

Warning

P273

Signal word:

**Pictograms:** 

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Hazardous components

Hazard statements

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				
5989-27-5	(R)-p-mentha-1,8-diene; d-limoner	e		< 1 %	
	227-813-5	601-096-00-2			
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3; H226 H315 H317 H304 H400 H412				

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

### Saunaduft Easy Gebirgslatschenkiefer

Revision date: 08.06.2023

Product code: F1000307FL

Page 3 of 9

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity					
	Specific Conc	Specific Conc. Limits, M-factors and ATE						
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	40 - < 45 %					
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg							
5989-27-5	227-813-5	227-813-5 (R)-p-mentha-1,8-diene; d-limonene						
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=1							

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

If victim is at risk of losing consciousness, position and transport on their side.

#### After inhalation

Provide fresh air. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Seek medical attention if problems persist.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

### In case of fire and/or explosion do not breathe fumes.

# 5.3. Advice for firefighters

No special measures are necessary.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Do not rinse down with water.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

according to UK REACH Regulation

# Saunaduft Easy Gebirgslatschenkiefer

Revision date: 08.06.2023

Product code: F1000307FL

Page 4 of 9

### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

#### Further information on storage conditions

Protect against: heat.

#### 7.3. Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

## 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### **Respiratory protection**

Respiratory protection necessary at: insufficient ventilation.Work in well-ventilated zones or use proper respiratory protection.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

No data available
not determined
not determined
not determined
24 °C
not determined

### according to UK REACH Regulation

Saunaduft Easy Gebirgslatschenkiefer					
Revision date: 08.06.2023	Product code: F1000307FL	Page 5 of 9			
pH-Value (at 20 °C):	5-6				
Water solubility:	not miscible				
Vapour pressure:	not determined				
Vapour pressure:	not determined				
Density:	0,900 g/cm <sup>3</sup>				
Relative density:	not determined				
9.2. Other information					
Information with regard to physical	hazard classes				
Explosive properties					
not Explosive.					
Sustaining combustion:	No data available				
Other safety characteristics					
Sublimation point:	not determined				
Flow time:	not determined				

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No further relevant information available.

# 10.2. Chemical stability

No known hazardous decomposition products.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No further relevant information available.

### 10.5. Incompatible materials

No further relevant information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **Further information**

No risks worthy of mention.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

## according to UK REACH Regulation

# Saunaduft Easy Gebirgslatschenkiefer

Revision date: 08.06.2023

Product code: F1000307FL

Page 6 of 9

CAS No	Chemical name	Chemical name					
	Exposure route	Dose	Species	Source	Method		
67-63-0	propan-2-ol; isopropyl al	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 4570- 5045 mg/kg	Rat.				
	dermal	LD50 12800- 13400 mg/kg	Rabbit				
	inhalation vapour	LC50 30-46,5 mg/l	Rat.				
5989-27-5	(R)-p-mentha-1,8-diene;	d-limonene					
	oral	LD50 > 5000 mg/kg	Rat	GESTIS			
	dermal	LD50 > 5000 mg/kg	Rabbit	GESTIS			

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive.

- irritant.
- Mutagen
- none
- Carcinogenicity
- none
- Teratogen none
- Phototoxicity
- none

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
5989-27-5	(R)-p-mentha-1,8-diene; d	(R)-p-mentha-1,8-diene; d-limonene					
	Acute fish toxicity	LC50	0,7 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 mg/l	0,42	48 h	Daphnia magna		

### 12.2. Persistence and degradability

No information available.

according to UK REACH Regulation

# Saunaduft Easy Gebirgslatschenkiefer

Revision date: 08.06.2023

Product code: F1000307FL

Page 7 of 9

# 12.3. Bioaccumulative potential

No information available.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene	4,23

# 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

### **Further information**

2 hazardous to water (WGK 2) Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

### Contaminated packaging

Dispose of waste according to applicable legislation. Cleaning agent. Water (with cleaning agent).

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

Land transport (ADIVIND)	
14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALKOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Other applicable information (land transp	ort)
Special provisions: 274 601 640H	
Transport category: 3	
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3

# according to UK REACH Regulation

Saunaduft Easy Gebirgslatschenkiefer		
Revision date: 08.06.2023	Product code: F1000307FL	Page 8 of 9
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions:	223, 274, 955	
Limited quantity:	5 L	
Excepted quantity:		
EmS:	F-E, S-E	
Other applicable information (marine tran Special provisions: 223, 330, 274, 944,		
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions:	A3	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L	
IATA-packing instructions - Cargo:	366 220 L	
IATA-max. quantity - Cargo:		
Other applicable information (air transpo Special provisions: A3	rı)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Flammable liquids		
14.7. Maritime transport in bulk according to	MO instruments	
not applicable		
SECTION 15: Regulatory information		
	ations/legislation specific for the substance or mixture	
	מנוסחסופקוסומנוסח ספכוווכ זסו נוופ סטשכנמווכפ טו ווואנעופ	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75		
2004/42/EC (VOC):	379,39 g/Liter	
National regulatory information		
Water hazard class (D):		
Additional information		
Customs tariff number 33029010		
15.2. Chemical safety assessment		
For this substance a chemical safety assessment has not been carried out.		
ו טו נוווס שטשמווטב ם טובוווטמו שמובנץ מששבשטוובווג וומש ווטג שלצוו טמוווצע טענ.		

# **SECTION 16: Other information**

# according to UK REACH Regulation

### Saunaduft Easy Gebirgslatschenkiefer

Revision date: 08.06.2023

Product code: F1000307FL

Page 9 of 9

# Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)