

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

UFI: SPKW-MDSJ-7J6U-8D5U

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Aroma fragrance concentrates are used in aroma grottos, steam rooms and Thermarien. The concentrate is the steam lines added undiluted doses, about 3 ml Also, the concentrates can be used in the Finnish sauna, the sauna-like fragrance concentrate Dosage: 5-10 ml to 1 liter of water, mix well.

1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	

1.4. Emergency telephone number: 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

Further Information

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 3; H226
 Eye Irrit. 2; H319
 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning

Pictograms:**Hazard statements**

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 2 of 8

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2 to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Special labelling of certain mixtures

EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			50 - < 55 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
64-19-7	acetic acid ... %			< 1 %
	200-580-7	607-002-00-6		
	Flam. Liq. 3, Skin Corr. 1A; H226 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	50 - < 55 %
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg		
64-19-7	200-580-7	acetic acid ... %	< 1 %
	oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		

SECTION 4: First aid measures

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 3 of 8

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

.Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		not determined
Lower explosion limits:		not determined
Flash point:		24 °C
pH-Value (at 20 °C):		5-6
Water solubility:		Immiscible
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		0,880 g/cm ³

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

not Explosive.

Sustaining combustion:

No data available

Other safety characteristics

Sublimation point:

not determined

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

none

10.6. Hazardous decomposition products

none

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 5 of 8

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
64-19-7	acetic acid ... %				
	oral	LD50 3310 mg/kg	Rat	GESTIS	

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction. weakly sensibilizing.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive. irritant.

- Mutagen
none
- Carcinogenicity
none
- Teratogen
none
- Phototoxicity
none

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 6 of 8

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64-19-7	acetic acid ... %					
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid ... %	-0,17

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.
not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

- 1 slightly hazardous to water
- Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.
Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number or ID number:** UN 1993
- 14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL))
- 14.3. Transport hazard class(es):** 3
- 14.4. Packing group:** III
- Hazard label: 3
- Classification code: F1
- Limited quantity: LQ7
- Hazard No: 33
- Tunnel restriction code: D/E

Other applicable information (land transport)

Special provisions: 274 601 640H
E1

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 7 of 8

Transport category: 3

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Marine pollutant:	•
Limited quantity:	5 L
EmS:	F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955
E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Limited quantity Passenger:	10 L
IATA-packing instructions - Passenger:	309
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	310
IATA-max. quantity - Cargo:	220 L

Other applicable information (air transport)

E1
Y309
Special provisions: A3

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 457,20 g/l

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Customs tariff number 33029010

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Safety Data Sheet

according to UK REACH Regulation

Aroma-Duftkonzentrat Himbeere Art.,Nr. 64421, 64221, 64321

Revision date: 07.06.2023

Product code: F1000323

Page 8 of 8

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)