

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

UFI: K5X5-DSVF-MWN9-8RED

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Dosage: give 5-10 ml on 1 litre of water, well mix.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	

1.4. Emergency telephone number: 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

Further Information

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning**Pictograms:****Hazard statements**

H226

Flammable liquid and vapour.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 2 of 9

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing smoke.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312 Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use CO₂ to extinguish.
P233 Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Special labelling of certain mixtures

EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	40 - < 45 %
	200-661-7	603-117-00-0
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
98-00-0	furfuryl alcohol	< 1 %
	202-626-1	603-018-00-2
	Carc. 2, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, STOT RE 2; H351 H331 H312 H302 H319 H335 H373	
98-01-1	2-furaldehyde	< 1 %
	202-627-7	605-010-00-4
	Carc. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H351 H331 H301 H312 H315 H319 H335	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 3 of 9

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	40 - < 45 %
		inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg	
98-00-0	202-626-1	furfuryl alcohol	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	
98-01-1	202-627-7	2-furaldehyde	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 65 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 4 of 9

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
98-01-1	2-Furaldehyde (furfural)	2	8		TWA (8 h)	WEL
		5	20		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

liquid:

Colour:

transparent

Odour:

characteristic

pH-Value (at 20 °C):

5-6

Changes in the physical state

Melting point:

No data available

Boiling point or initial boiling point and boiling range:

not determined

Sublimation point:

not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 5 of 9

Flash point:	24 °C
Sustaining combustion:	No data available
Explosive properties	
not Explosive.	
Lower explosion limits:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	0,89 g/cm ³
Water solubility:	Immiscible

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

none

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
98-00-0	furfuryl alcohol				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			
98-01-1	2-furaldehyde				
	oral	LD50 65 mg/kg	Rat		
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 6 of 9

Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive .
irritant.

- Mutagen
none
- Carcinogenicity
none
- Teratogen
none
- Phototoxicity
none

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
98-01-1	2-furaldehyde					
	Acute fish toxicity	LC50	24 mg/l	96 h	Salmo	Hommel

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
98-00-0	furfuryl alcohol	0,28
98-01-1	2-furaldehyde	0,83

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

not applicable

12.7. Other adverse effects

No information available.

Further information

- 1 slightly hazardous to water
Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 7 of 9

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.

Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1993
<u>14.2. UN proper shipping name:</u>	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Other applicable information (land transport)

Special provisions: 274 601 640H

Transport category: 3

Marine transport (IMDG)

<u>14.1. UN number:</u>	UN 1993
<u>14.2. UN proper shipping name:</u>	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III
Hazard label:	3
Special Provisions:	223, 274, 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	UN 1993
<u>14.2. UN proper shipping name:</u>	FLAMMABLE LIQUID, N.O.S.
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 8 of 9

IATA-max. quantity - Cargo: 220 L

Other applicable information (air transport)

Special provisions: A3

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 360 g/l

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Customs tariff number 33029010

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Brot Art.-Nr. 648403, 648003, 648203

Revision date: 12.04.2021

Product code: F1000571

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)