according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

UFI: VTTW-ND2G-NJ6W-5QJ6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dosage: give 5-10 ml on 1 litre of water, well mix.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name: Finnsa GmbH
Street: Marburger Str. 35
Place: D-36304 Alsfeld

Post-office box: 1261

D-36292 Alsfeld

Telephone: 06631-96880 Telefax: 06631-9688-96

e-mail: info@finnsa.de
Contact person: Uwe Helm
Internet: finnsa.de
Responsible Department: Verkauf

1.4. Emergency telephone 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und

number: Hessen

Further Information

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Benzyl-2-hydroxybenzoat

Eugenol Isoeugenol

Signal word: Warning

Pictograms:







according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 2 of 9

Hazard statements

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing smoke.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2 to extinguish.

P391 Collect spillage.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Special labelling of certain mixtures

EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol, Benzyl-2-hydroxybenzoat, Eugenol,

Isoeugenol. May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:







Hazard statements

H317

Precautionary statements

P280-P333+P313-P362+P364

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Print date: 31.08.2023

Safety Data Sheet

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 3 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
67-63-0	propan-2-ol; isopropyl alcohol; isop	ropanol		45 - < 50 %	
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336			
118-58-1	Benzyl-2-hydroxybenzoat			1 - < 5 %	
	204-262-9				
	Skin Sens. 1, Aquatic Chronic 2; H3	317 H411			
97-53-0	Eugenol				
	202-589-1				
	Eye Irrit. 2, Skin Sens. 1; H319 H317				
2050-08-0	Pentyl-2-hydroxybenzoat				
	218-080-2				
	Aquatic Chronic 1; H410				
97-54-1	Isoeugenol				
	202-590-7				
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H312 H302 H315 H319 H317				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name				
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE				
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol				
	inhalation: LC5 4570-5045 mg/k	0 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 =				
97-54-1	202-590-7	Isoeugenol	1 - < 5 %			
	dermal: ATE =	1100 mg/kg; oral: ATE = 500 mg/kg				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 4 of 9

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

No special measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Do not rinse down with water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

8.2. Exposure controls

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 5 of 9

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid:
Colour: transparent
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

No data available
not determined

boiling range:

Lower explosion limits: not determined Upper explosion limits: not determined Flash point: 24 °C Auto-ignition temperature: not determined pH-Value (at 20 °C): 5-6 Water solubility: **Immiscible** Vapour pressure: not determined Vapour pressure: not determined Density: 900 a/cm³ Relative density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not Explosive.

Sustaining combustion: No data available

Other safety characteristics

Sublimation point: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

No known hazardous decomposition products.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 6 of 9

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	LD50 4 5045 mg/kg	1570-	Rat.			
	dermal	LD50 1 13400 mg/kg	12800-	Rabbit			
	inhalation vapour	LC50 3 mg/l	30-46,5	Rat.			
97-54-1	Isoeugenol						
	oral	ATE 5	500				
	dermal		1100				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol, Benzyl-2-hydroxybenzoat, Eugenol, Isoeugenol. May produce an allergic reaction. May cause an allergic skin reaction. (Benzyl-2-hydroxybenzoat; Eugenol; Isoeugenol)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive. irritant.

- Mutagen
 - none
- Carcinogenicity
- none
- Teratogen

none

Print date: 31.08.2023

Safety Data Sheet

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 7 of 9

- Phototoxicity none

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

2 hazardous to water (WGK 2)

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.

Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL

ALKOHOL))

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3 Classification code: F1 **Special Provisions:** 274 601 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 30 Tunnel restriction code: D/E

Other applicable information (land transport)

Special provisions: 274 601 640H

Transport category: 3

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 8 of 9

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3

Special Provisions: 223, 274, 955

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:A3Limited quantity Passenger:10 LPassenger LQ:Y344Excepted quantity:E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

Other applicable information (air transport)

Special provisions: A3

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user

Flammable liquids

14.5. Environmental hazards

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 405 g/l

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Customs tariff number 33029010

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

according to UK REACH Regulation

Exklusiv Sauna-Duftkonzentrat Nelke-Orange Art.-Nr. 65468, 65068, 65268

Revision date: 28.06.2023 Product code: F1000582 Page 9 of 9

Classification for mixtures and used evaluation method according to GB CLP Regulation

	<u> </u>		
Classification	Classification procedure		
Flam. Liq. 3; H226	On basis of test data		
Eye Irrit. 2; H319	Calculation method		
Skin Sens. 1; H317	Calculation method		
STOT SE 3; H336	Calculation method		
Aquatic Chronic 2; H411	Calculation method		

Relevant H and EUH statements (number and full text)

HZZ3	nigniy ilammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, Benzyl-2-hydroxybenzoat, Eugenol,
	Isoeugenol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)