according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

UFI: QYFW-VD3G-2J6J-TQ42

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dosage: give 5-10 ml on 1 litre of water, well mix.

1.3. Details of the supplier of the safety data sheet

Company name: Finnsa GmbH
Street: Marburger Str. 35
Place: D-36304 Alsfeld

Post-office box: 1261

D-36292 Alsfeld

Telephone: 06631-96880 Telefax: 06631-9688-96

e-mail: info@finnsa.de
Contact person: Uwe Helm
Internet: finnsa.de
Responsible Department: Verkauf

1.4. Emergency telephone 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und

number: Hessen

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning

Pictograms:





Hazard statements

H226 Flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing smoke.

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 2 of 9

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2 to extinguish.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Special labelling of certain mixtures

EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol, 2H-1-Benzopyran-2-on; Coumarin.

May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





Hazard statements

H319-H412

Precautionary statements

P305+P351+P338

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Print date: 01.06.2023

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 3 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				
76-22-2	Bornan-2-on				
	200-945-0				
	Flam. Sol. 2, Acute Tox. 4, Acute Tox. 4, STOT SE 2; H228 H332 H302 H371				
2050-08-0	Pentyl-2-hydroxybenzoat				
	218-080-2				
	Aquatic Chronic 1; H410				
84-66-2	Diethylphthalat				
	201-550-6				
	Acute Tox. 3; H331				
91-64-5	2H-1-Benzopyran-2-on; Coumarin		< 1 %		
	202-086-7				
	Acute Tox. 4, Skin Sens. 1, STOT RE 2; H302 H317 H373				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	40 - < 45 %	
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg			
76-22-2	200-945-0	Bornan-2-on	1 - < 5 %	
	inhalation: AT mg/kg	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500		
84-66-2	201-550-6	Diethylphthalat	< 1 %	
	inhalation: AT	E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists)		
91-64-5	202-086-7	2H-1-Benzopyran-2-on; Coumarin	< 1 %	
oral: ATE = 500 mg/kg				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 4 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
76-22-2	Bornan-2-one	2	13		TWA (8 h)	WEL
		3	19		STEL (15 min)	WEL
84-66-2	Diethyl phthalate	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 5 of 9

Eye/face protection

.Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid:
Colour: yellow
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

No data available
not determined

boiling range:

Lower explosion limits: not determined Upper explosion limits: not determined Flash point: 24 °C pH-Value (at 20 °C): 5-6 **Immiscible** Water solubility: Vapour pressure: not determined Vapour pressure: not determined Density: 0,9 g/cm³

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not Explosive.

Sustaining combustion: No data available

Other safety characteristics

Sublimation point: not determined

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

none

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 4570- 5045 mg/kg	Rat.			
	dermal	LD50 12800- 13400 mg/kg	Rabbit			
	inhalation vapour	LC50 30-46,5 mg/l	Rat.			
76-22-2	Bornan-2-on					
	oral	ATE 500 mg/kg				
	inhalation vapour	ATE 11 mg/l				
	inhalation dust/mist	ATE 1,5 mg/l				
84-66-2	Diethylphthalat					
	inhalation vapour	ATE 3 mg/l				
	inhalation dust/mist	ATE 0,5 mg/l				
91-64-5	2H-1-Benzopyran-2-on; Coumarin					
	oral	ATE 500 mg/kg				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol, 2H-1-Benzopyran-2-on; Coumarin. May produce an allergic reaction. weakly sensibilizing.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive. irritant.

- Mutagen
 - none
- Carcinogenicity none
- Teratogen none
- Phototoxicity none

SECTION 12: Ecological information

12.1. Toxicity

No information available.

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 7 of 9

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

1 slightly hazardous to water

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.

Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL(ISOPROPYLALKOHOL))

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Classification code:F1Limited quantity:LQ7Hazard No:33Tunnel restriction code:D/E

Other applicable information (land transport)

Special provisions: 274 601 640H

E1

Transport category: 3
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL(ISOPROPYLALCOHOL))

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Marine pollutant:•Limited quantity:5 L

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke Art.-Nr. 65403, 65003, 65203, 65303

Revision date: 01.06.2023 Product code: F1000303 Page 8 of 9

EmS: F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL(ISOPROPYLALCOHOL))

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Limited quantity Passenger:10 L

IATA-packing instructions - Passenger:309IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:310IATA-max. quantity - Cargo:220 L

Other applicable information (air transport)

E1 Y309 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 40 % (360 g/Liter)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Customs tariff number 33029010

SECTION 16: Other information

Classification for mixtures and used evaluation method according to GB CLP Regulation

	and dood or an addition motion dood amb to the contract of the
Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

according to UK REACH Regulation

Sauna-Duft-Konzentrat Finnische Birke ArtNr. 65403, 65003, 65203, 65303				
Revision date: 01.06.2023	Product code: F1000303	Page 9 of 9		
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H332	Harmful if inhaled.			
H336	May cause drowsiness or dizziness.			
H371	May cause damage to liver if inhaled.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, 2H-1-Benzopyran-2-on; Coumarin. May produce an allergic reaction.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)