according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: 08.06.2023

Product code: F1000325

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

UFI:

HSMW-6DRQ-7J68-VTRP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aroma fragrance concentrates are used in aroma grottos, steam rooms and Thermarien. The concentrate is the steam lines added undiluted doses, about 3 ml Also, the concentrates can be used in the Finnish sauna, the sauna-like fragrance concentrate Dosage: 5-10 ml to 1 liter of water, mix well.

1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax:06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	
1.4. Emergency telephone number:	06131 19240 Giftinformationszentrum (GIZ) Hessen	der Länder Rheinland-Pfalz und

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Pictograms: Warning



Hazard statements

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

Frecautionary statements	
P210 Keep away from heat, hot surfaces, sparks, open t	flames and other ignition sources. No
smoking.	
P261 Avoid breathing smoke.	

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

I			
	Revision date: 08.06.2023	Product code: F1000325	Page 2 of 7
	P271	Use only outdoors or in a well-ventilated area.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
	P312	Call a POISON CENTER/doctor if you feel unwell.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P337+P313	If eye irritation persists: Get medical advice/attention.	
	P370+P378	In case of fire: Use CO2 to extinguish.	
	P233	Keep container tightly closed.	
	P403+P235	Store in a well-ventilated place. Keep cool.	
	P405	Store locked up.	

Special labelling of certain mixtures

EUH208 Contains 2H-1-Benzopyran-2-on; Coumarin. May produce an allergic reaction.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Pictograms:



Hazard statements

H319

Precautionary statements

P305+P351+P338

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol		40 - < 45 %	
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		
91-64-5	2H-1-Benzopyran-2-on; Coumarin		<1 %	
	202-086-7			
	Acute Tox. 4, Skin Sens. 1, STOT RE 2; H302 H317 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	
	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7 propan-2-ol; isopropyl alcohol; isopropanol 40 - < 45		40 - < 45 %
inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg			
91-64-5	202-086-7	2H-1-Benzopyran-2-on; Coumarin	<1 %
	oral: ATE = 500 mg/kg		

SECTION 4: First aid measures

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: 08.06.2023

Product code: F1000325

Page 3 of 7

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

No special measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

Keep locked up and out of reach of children.

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: 08.06.2023

Product code: F1000325

Page 4 of 7

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Before using check leak tightness / impermeability.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		not determined
boiling range:		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>100 °C
pH-Value (at 20 °C):		6
Water solubility:		easily soluble.
Density (at 20 °C):		0,9 g/cm³
9.2. Other information		

Other safety characteristics

Sublimation point:

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.4. Conditions to avoid

none

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

not determined

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: 08.06.2023

Product code: F1000325

Page 5 of 7

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Irritant effect on the skin: non-irritant. Irritant effect on the eye: non-irritant.

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
67-63-0	propan-2-ol; isopropyl a	lcohol; isopropanc	ol			
	oral	LD50 45 ⁻ 5045 mg/kg	570-	Rat.		
	dermal	LD50 128 13400 mg/kg	800-	Rabbit		
	inhalation vapour	LC50 30- mg/l	-46,5	Rat.		
91-64-5	2H-1-Benzopyran-2-on; Coumarin					
	oral	ATE 500 mg/kg	0			

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive. irritant.

- Mutagen
- none
- Carcinogenicity
- none
- Teratogen none
 Phototoxicity
- none

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

1 slightly hazardous to water

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: 08.06.2023

Product code: F1000325

Page 6 of 7

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

Lanu transport (ADR/RID)		
14.2. UN proper shipping name:	FLAMMABLE LIQU ALKOHOL))	IID, N.O.S. (ISOPROPANOL (ISOPROPYL
Classification code:	F1	
Limited quantity:	LQ7	
Hazard No:	33	
Other applicable information (land trans	port)	
Special provisions: 274 601 640H		
E1		
Transport category: 3		
Tunnel restriction code: D/E		
Marine transport (IMDG)		
Marine pollutant:	•	
Limited quantity:	5 L	
EmS:	F-E, S-E	
Other applicable information (marine tra		
Special provisions: 223, 330, 274, 944,	955	
Air transport (ICAO-TI/IATA-DGR)		
Limited quantity Passenger:	10 L	
IATA-packing instructions - Passenger:		309
IATA-max. quantity - Passenger:		60 L
IATA-packing instructions - Cargo:		310
IATA-max. quantity - Cargo:		220 L
Other applicable information (air transpo	ort)	
E1		
Y309		
220 L		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Flammable liquids		
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation sp	ecific for the substance or mixture
EU regulatory information		
Restrictions on use (REACH, annex XVII):		

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC):

360 g/l

according to UK REACH Regulation

Event Saunaduftkonzentrat Kokos-Vanille Art.-Nr. 648411, 648011, 648211

Revision date: (08.06.2023
------------------	------------

Product code: F1000325

Page 7 of 7

National regulatory information

Water hazard class (D): Additional information

Zoll-Tarif-Nr. 33074900

1 - slightly hazardous to water

SECTION 16: Other information

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains 2H-1-Benzopyran-2-on; Coumarin. May produce an allergic reaction.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)