

# Safety Data Sheet

according to UK REACH Regulation

**Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263**

Revision date: 28.06.2023

Product code: F1000581

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

UFI: WKPW-UD81-NJ6P-R001

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Dosage: give 5-10 ml on 1 litre of water, well mix.

**Uses advised against**

No data available

**1.3. Details of the supplier of the safety data sheet**

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	

**1.4. Emergency telephone number:** 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

**Further Information**

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 3; H226  
Eye Irrit. 2; H319  
Skin Sens. 1; H317  
STOT SE 3; H336  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol  
oakmoss absolute(resinoid)  
turpentine, oil  
dipentene; limonene

**Signal word:** Warning**Pictograms:**

# Safety Data Sheet

according to UK REACH Regulation

## Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

Revision date: 28.06.2023

Product code: F1000581

Page 2 of 9

### Hazard statements

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2 to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

### Special labelling of certain mixtures

EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, oakmoss absolute(resinoid), turpentine, oil, dipentene; limonene. May produce an allergic reaction.
--------	---

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



### Hazard statements

H317-H412

### Precautionary statements

P280-P333+P313-P362+P364

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# Safety Data Sheet

according to UK REACH Regulation

## Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

Revision date: 28.06.2023

Product code: F1000581

Page 3 of 9

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			45 - < 50 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
90028-68-5	oakmoss absolute(resinoid)			5 - < 10 %
	289-861-3			
	Acute Tox. 4, Skin Sens. 1; H302 H317			
8006-64-2	turpentine, oil			< 1 %
	232-350-7	650-002-00-6		
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H332 H312 H302 H315 H319 H317 H304 H411			
138-86-3	dipentene; limonene			< 1 %
	205-341-0	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	45 - < 50 %
		inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg	
90028-68-5	289-861-3	oakmoss absolute(resinoid)	5 - < 10 %
		oral: ATE = 500 mg/kg	
8006-64-2	232-350-7	turpentine, oil	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

If victim is at risk of losing consciousness, position and transport on their side.

#### After inhalation

Provide fresh air. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Seek medical attention if problems persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

# Safety Data Sheet

according to UK REACH Regulation

**Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263**

Revision date: 28.06.2023

Product code: F1000581

Page 4 of 9

**Suitable extinguishing media**Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

In case of fire and/or explosion do not breathe fumes.

**5.3. Advice for firefighters**

No special measures are necessary.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Do not rinse down with water.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

**Advice on protection against fire and explosion**

Take precautionary measures against static discharges.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed and in a well-ventilated place.

**Further information on storage conditions**

Protect against: heat.

**7.3. Specific end use(s)**

No data available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

# Safety Data Sheet

according to UK REACH Regulation

## Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

Revision date: 28.06.2023

Product code: F1000581

Page 5 of 9

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Tightly sealed safety glasses.

##### Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		24 °C
Auto-ignition temperature:		not determined
pH-Value (at 20 °C):		5-6
Water solubility:		Immiscible
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		910 g/cm <sup>3</sup>
Relative density:		not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties  
not Explosive.

Sustaining combustion: No data available

#### Other safety characteristics

Sublimation point: not determined  
Flow time: not determined

## Safety Data Sheet

according to UK REACH Regulation

### Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

Revision date: 28.06.2023

Product code: F1000581

Page 6 of 9

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No further relevant information available.

##### 10.2. Chemical stability

No known hazardous decomposition products.

##### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4. Conditions to avoid

No further relevant information available.

##### 10.5. Incompatible materials

No further relevant information available.

##### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

##### **Further information**

No risks worthy of mention.

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in GB CLP Regulation

###### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
90028-68-5	oakmoss absolute(resinoid)				
	oral	ATE 500 mg/kg			
8006-64-2	turpentine, oil				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

###### **Irritation and corrosivity**

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

###### **Sensitising effects**

Contains propan-2-ol; isopropyl alcohol; isopropanol, oakmoss absolute(resinoid), turpentine, oil, dipentene; limonene. May produce an allergic reaction. May cause an allergic skin reaction. (oakmoss absolute(resinoid); turpentine, oil; dipentene; limonene)

# Safety Data Sheet

according to UK REACH Regulation

**Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263**

Revision date: 28.06.2023

Product code: F1000581

Page 7 of 9

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

The evaluation was carried out according to the calculation method of the Preparations Directive.

irritant.

- Mutagen  
none
- Carcinogenicity  
none
- Teratogen  
none
- Phototoxicity  
none

**SECTION 12: Ecological information****12.1. Toxicity**

Harmful to aquatic organisms.

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

not applicable

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

2 hazardous to water (WGK 2)

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains.

**Contaminated packaging**

Dispose of waste according to applicable legislation.

Cleaning agent. Water (with cleaning agent).

## Safety Data Sheet

according to UK REACH Regulation

### Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263

Revision date: 28.06.2023

Product code: F1000581

Page 8 of 9

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

##### Other applicable information (land transport)

Special provisions: 274 601 640H

Transport category: 3

##### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	223, 274, 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

##### Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

##### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

##### Other applicable information (air transport)

Special provisions: A3

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

##### 14.6. Special precautions for user

Flammable liquids

##### 14.7. Maritime transport in bulk according to IMO instruments



**Safety Data Sheet**

according to UK REACH Regulation

**Exklusiv Sauna-Duftkonzentrat Dunkle Erde Art.-Nr. 65463, 65063, 65263**

Revision date: 28.06.2023

Product code: F1000581

Page 9 of 9

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 436,5 g/Liter

**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**Additional information**

Customs tariff number 33029010

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, oakmoss absolute(resinoid), turpentine, oil, dipentene; limonene. May produce an allergic reaction.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*