

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

UFI: GKGW-DDX8-7J61-F36H

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Dosage: give 5-10 ml on 1 litre of water, well mix.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name: Finnsa GmbH
Street: Marburger Str. 35
Place: D-36304 Alsfeld
Post-office box: 1261
D-36292 Alsfeld
Telephone: 06631-96880
E-mail: info@finnsa.de
Contact person: Uwe Helm
Internet: finnsa.de
Responsible Department: Verkauf

Telefax: 06631-9688-96

1.4. Emergency telephone number:

06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 3; H226
Skin Irrit. 2; H315
Eye Irrit. 2; H319
Skin Sens. 1; H317
STOT SE 3; H336
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol
dipentene; limonene
turpentine, oil
geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol
Citronellol
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool
citral
alpha-Pinen

Signal word: Warning

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 2 of 9

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.
P102	Keep out of reach of children.
P101	If medical advice is needed, have product container or label at hand.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, dipentene; limonene, turpentine, oil, geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol, Citronellol, linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, citral, alpha-Pinen. May produce an allergic reaction.
--------	---

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



Hazard statements

H317

Precautionary statements

P261-P501-P333+P313

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 3 of 9

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			50 - < 55 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
138-86-3	dipentene; limonene			5 - < 10 %
	205-341-0	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410			
8006-64-2	turpentine, oil			1 - < 5 %
	232-350-7	650-002-00-6		
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H332 H312 H302 H315 H319 H317 H304 H411			
106-24-1	geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol			1 - < 5 %
	203-377-1	603-241-00-5		
	Skin Sens. 1; H317			
106-22-9	Citronellol			1 - < 5 %
	203-375-0			
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411			
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool			< 1 %
	201-134-4	603-235-00-2		
	Skin Sens. 1B; H317			
5392-40-5	citral			< 1 %
	226-394-6	605-019-00-3		
	Skin Irrit. 2, Skin Sens. 1; H315 H317			
7785-26-4	alpha-Pinen			< 1 %
	232-077-3			
	Flam. Liq. 3, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H317 H304 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	50 - < 55 %
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg		
8006-64-2	232-350-7	turpentine, oil	1 - < 5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg		
106-22-9	203-375-0	Citronellol	1 - < 5 %
	oral: LD50 = 3450 mg/kg		
5392-40-5	226-394-6	citral	< 1 %
	dermal: LD50 = 2250 mg/kg; oral: LD50 = >5000 mg/kg		

SECTION 4: First aid measures

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 4 of 9

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 5 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

8.2. Exposure controls**Individual protection measures, such as personal protective equipment****Eye/face protection**

.Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		not determined
Lower explosion limits:		not determined
Flash point:		24 °C
pH-Value (at 20 °C):		5-6
Water solubility:		Immiscible
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		0,880 g/cm ³

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties
not Explosive.

Sustaining combustion: No data available

Other safety characteristics

Sublimation point: not determined

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

none

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 6 of 9

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
8006-64-2	turpentine, oil				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
106-22-9	Citronellol				
	oral	LD50 3450 mg/kg	Ratte		
5392-40-5	citral				
	oral	LD50 >5000 mg/kg			
	dermal	LD50 2250 mg/kg			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (dipentene; limonene; turpentine, oil; geraniol; (2E)

-3,7-dimethylocta-2,6-dien-1-ol; Citronellol; linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool; citral; alpha-Pinen)

Contains propan-2-ol; isopropyl alcohol; isopropanol, dipentene; limonene, turpentine, oil, geraniol; (2E)

-3,7-dimethylocta-2,6-dien-1-ol, Citronellol, linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, citral, alpha-Pinen. May produce an allergic reaction.

weakly sensibilizing.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 7 of 9

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive.
irritant.

- Mutagen
none
- Carcinogenicity
none
- Teratogen
none
- Phototoxicity
none

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.
not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

- 2 hazardous to water (WGK 2)
- Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation.
Cleaning agent. Water (with cleaning agent).

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 8 of 9

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	LQ7
Hazard No:	33
Tunnel restriction code:	D/E

Other applicable information (land transport)

Special provisions: 274 601 640H
E1
Transport category: 3
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Marine pollutant:	•
Limited quantity:	5 L
EmS:	F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Limited quantity Passenger:	10 L
IATA-packing instructions - Passenger:	309
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	310
IATA-max. quantity - Cargo:	220 L

Other applicable information (air transport)

E1
Y309
220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user

Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety Data Sheet

according to UK REACH Regulation

Sauna-Duft-Konzentrat Melisse Art.-Nr. 65409, 65009, 65209, 65309

Revision date: 22.08.2024

Product code: F1000312

Page 9 of 9

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 509,58 g/l

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Customs tariff number 33029010

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids
 Acute Tox: Acute toxicity
 Asp. Tox: Aspiration hazard
 Skin Irrit: Skin irritation
 Eye Irrit: Eye irritation
 Skin Sens: Skin sensitisation
 STOT SE: Specific target organ toxicity - single exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H312 Harmful in contact with skin.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H336 May cause drowsiness or dizziness.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol, dipentene; limonene, turpentine, oil, geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol, Citronellol, linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, citral, alpha-Pinen. May produce an allergic reaction.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)