according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

UFI:

PTNW-9D1F-WJ66-TWRF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dosage: give 5-10 ml on 1 litre of water, well mix.

1.3. Details of the supplier of the safety data sheet

| ely uala sheel | |
|---|--|
| Finnsa GmbH | |
| Marburger Str. 35 | |
| D-36304 Alsfeld | |
| 1261 | |
| D-36292 Alsfeld | |
| 06631-96880 | Telefax:06631-9688-96 |
| info@finnsa.de | |
| Uwe Helm | |
| finnsa.de | |
| Verkauf | |
| 06131 19240 Giftinformationszentrum (GIZ) o | der Länder Rheinland-Pfalz und |
| Hessen | |
| | Finnsa GmbH Marburger Str. 35 D-36304 Alsfeld 1261 D-36292 Alsfeld 06631-96880 info@finnsa.de Uwe Helm finnsa.de Verkauf 06131 19240 Giftinformationszentrum (GIZ) o |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Flammable liquid and vapour. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol 3,7-Dimthylocta-2,6-dien-1-ol linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool Benzyl-2-hydroxybenzoat alpha-Pinen dipentene; limonene

Signal word:

Warning

according to Regulation (EC) No 1907/2006

| E | vent Saunaduftkonzentrat Asia ArtNr. 648423, 648023, 648223 | |
|--|--|-----------|
| evision date: 12.04.2021 | Product code: F1000563 | Page 2 of |
| Pictograms: | | |
| | | |
| Hazard statements | | |
| H226 | Flammable liquid and vapour. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H336 | May cause drowsiness or dizziness. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Precautionary statemen | its | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | |
| P261 | Avoid breathing smoke. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| P312 | Call a POISON CENTER/doctor if you feel unwell. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if | |
| | present and easy to do. Continue rinsing. | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | |
| P370+P378 | In case of fire: Use CO2 to extinguish. | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| P405 | Store locked up. | |
| Special labelling of cert | | |
| EUH208 | Contains propan-2-ol; isopropyl alcohol; isopropanol, 3,7-Dimthylocta-2,6-dien-1-ol, linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, Benzyl-2-hydroxybenzoat, alpha-Pinen, dipentene; limonene. May produce an allergic reaction. | |
| Labelling of packages v | vhere the contents do not exceed 125 ml | |
| Signal word: | Warning | |
| Pictograms: | | |
| - | | |
| Hazard statements H317-H412 Precautionary statemen | nte | |
| P261-P280-P333+P3 | | |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 3 of 9

Hazardous components

| CAS No | Chemical name | Quantity | | |
|-----------|--|------------------------------------|--------------------------------|-------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 67-63-0 | propan-2-ol; isopropyl alcoh | ol; isopropanol | | 40 - < 45 % |
| | 200-661-7 | 603-117-00-0 | | |
| | Flam. Liq. 2, Eye Irrit. 2, ST | OT SE 3; H225 H319 H336 | | |
| 120-51-4 | benzyl benzoate | | | 1 - < 5 % |
| | 204-402-9 | 607-085-00-9 | | |
| | Acute Tox. 4, Aquatic Chror | ic 2; H302 H411 | | |
| 106-24-1 | 3,7-Dimthylocta-2,6-dien-1- | ol | | 1 - < 5 % |
| | 203-377-1 | | | |
| | Skin Irrit. 2, Eye Dam. 1, Sk | in Sens. 1; H315 H318 H317 | • | |
| 100-51-6 | benzyl alcohol | | | 1 - < 5 % |
| | 202-859-9 | 603-057-00-5 | | |
| | Acute Tox. 4, Acute Tox. 4; | H332 H302 | | |
| 78-70-6 | linalool; 3,7-dimethyl-1,6-oc | tadien-3-ol; dl-linalool | | 1 - < 5 % |
| | 201-134-4 | 603-235-00-2 | | |
| | Skin Sens. 1B; H317 | | | |
| 118-58-1 | Benzyl-2-hydroxybenzoat | | | < 1 % |
| | 204-262-9 | | | |
| | Skin Sens. 1, Aquatic Chror | nic 2; H317 H411 | | |
| 7785-26-4 | alpha-Pinen | | | < 1 % |
| | 232-077-3 | | | |
| | Flam. Liq. 3, Skin Sens. 1, / H400 H410 | Asp. Tox. 1, Aquatic Acute 1, Aqua | atic Chronic 1; H226 H317 H304 | |
| 138-86-3 | dipentene; limonene | | | < 1 % |
| | 205-341-0 | 601-029-00-7 | | |
| | Flam. Liq. 3, Skin Irrit. 2, Sk H400 H410 | in Sens. 1, Aquatic Acute 1, Aqua | tic Chronic 1; H226 H315 H317 | |
| 79-92-5 | Camphen | | | < 1 % |
| | 201-234-8 | | | |
| | Flam. Sol. 1, Eye Irrit. 2, Aq | uatic Chronic 1; H228 H319 H410 |) | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|----------------------------------|--|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 67-63-0 | 200-661-7 | propan-2-ol; isopropyl alcohol; isopropanol | 40 - < 45 % |
| | inhalation: LC5 4570-5045 mg/ | 0 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = kg | |
| 120-51-4 | 204-402-9 | benzyl benzoate | 1 - < 5 % |
| | oral: ATE = 500 |) mg/kg | |
| 100-51-6 | 202-859-9 | benzyl alcohol | 1 - < 5 % |
| | inhalation: ATE 1230 mg/kg | = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = | |

SECTION 4: First aid measures

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 4 of 9

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 5 of 9

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|--------------------------------|-----|-------|-----------|---------------|--------|
| 76-22-2 | Bornan-2-one | 2 | 13 | | TWA (8 h) | WEL |
| | | 3 | 19 | | STEL (15 min) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |
| 57-55-6 | Propane-1,2-diol, particulates | - | 10 | | TWA (8 h) | WEL |

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

Eye/face protection

.Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation.Work in well-ventilated zones or use proper respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| 1. Information on basic physical and che | mical properties | | |
|---|------------------|-------------------|--|
| Physical state: | liquid: | | |
| Colour: | colourless | | |
| Odour: | characteristic | | |
| pH-Value (at 20 °C): | | 5-6 | |
| Changes in the physical state | | | |
| Melting point: | | No data available | |
| Boiling point or initial boiling point and boiling range: | | not determined | |
| Sublimation point: | | not determined | |
| Flash point: | | 24 °C | |
| Sustaining combustion: | | No data available | |
| Explosive properties not Explosive. | | | |
| Lower explosion limits: | | not determined | |
| Vapour pressure: | | not determined | |
| Vapour pressure: | | not determined | |
| Density: | | 0,890 g/cm³ | |
| Water solubility: | | Immiscible | |

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

none

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 6 of 9

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|----------|--------------------------|-------------------|--------------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 67-63-0 | propan-2-ol; isopropyl a | alcohol; isopro | panol | | | |
| | oral | LD50 5045 mg/k | 4570- g | Rat. | | |
| | dermal | LD50 13400 mg/ | 12800- kg | Rabbit | | |
| | inhalation vapour | LC50 mg/l | 30-46,5 | Rat. | | |
| 120-51-4 | benzyl benzoate | | | | | |
| | oral | ATE mg/kg | 500 | | | |
| 100-51-6 | benzyl alcohol | | | | | |
| | oral | LD50 mg/kg | 1230 | Rat | GESTIS | |
| | inhalation vapour | ATE | 11 mg/l | | | |
| | inhalation aerosol | ATE | 1,5 mg/l | | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol, 3,7-Dimthylocta-2,6-dien-1-ol, linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, Benzyl-2-hydroxybenzoat, alpha-Pinen, dipentene; limonene. May produce an allergic reaction.May cause an allergic skin reaction. (3,7-Dimthylocta-2,6-dien-1-ol; linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool; Benzyl-2-hydroxybenzoat; alpha-Pinen; dipentene; limonene) weakly sensibilizing.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive .

- irritant.
- Mutagen
- none
- Carcinogenicity

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 7 of 9

- none
- Teratogen
- none
- Phototoxicity none

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|----------------|---------|
| 100-51-6 | benzyl alcohol | 1,05 |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

not applicable

12.7. Other adverse effects

No information available.

Further information

2 hazardous to water (WGK 2) Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose of waste according to applicable legislation. Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

| Land transport (ADR/RID) | |
|--|--|
| <u>14.1. UN number:</u> | UN 1993 |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL)) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |
| Hazard label: | 3 |
| Classification code: | F1 |
| Limited quantity: | LQ7 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |
| Other applicable information (land tra | insport) |
| Special provisions: 274 601 640H | |
| E1 | |

according to Regulation (EC) No 1907/2006

| Event Saunad | luftkonzentrat Asia ArtNr. 648423, 648023, 648223 | |
|---|---|-------------|
| Revision date: 12.04.2021 | Product code: F1000563 | Page 8 of 9 |
| Transport category: 3 | | |
| Marine transport (IMDG) | | |
| <u>14.1. UN number:</u> | UN 1993 | |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)) | |
| 14.3. Transport hazard class(es): | 3 | |
| 14.4. Packing group: | III | |
| Hazard label: | 3 | |
| Marine pollutant: | • | |
| Limited quantity: | 5 L | |
| EmS: | F-E, S-E | |
| Other applicable information (marine to Special provisions: 223, 330, 274, 94 E1 | • • | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| <u>14.1. UN number:</u> | UN 1993 | |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N.O.S. | |
| 14.3. Transport hazard class(es): | 3 | |
| 14.4. Packing group: | III | |
| Hazard label: | 3 | |
| Limited quantity Passenger: | 10 L | |
| IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: | 309 60 L 310 | |
| IATA-max. quantity - Cargo: | 220 L | |
| Other applicable information (air trans) E1 Y309 Special provisions: A3 | port) | |
| 14.6. Special precautions for user | | |
| Flammable liquids | | |
| 14.7. Maritime transport in bulk according not applicable | to IMO instruments | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental req | ulations/legislation specific for the substance or mixture | |
| EU regulatory information | | |
| Restrictions on use (REACH, annex XVI Entry 3 | I): | |
| 2004/42/EC (VOC): | 392,88 g/Liter | |
| National regulatory information | | |
| Water hazard class (D): | 2 - obviously hazardous to water | |
| Additional information Customs tariff number 33029010 | Z - Obviously hazardous to water | |

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Asia Art.-Nr. 648423, 648023, 648223

Revision date: 12.04.2021

Product code: F1000563

Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| STOT SE 3; H336 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

| Relevant H and EUH statements | (number and full text) |
|-------------------------------|------------------------|
| | |

| Relevant H and EUR | a statements (number and full text) |
|--------------------|--|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains propan-2-ol; isopropyl alcohol; isopropanol, 3,7-Dimthylocta-2,6-dien-1-ol, |
| | linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, Benzyl-2-hydroxybenzoat, alpha-Pinen, |
| | dipentene; limonene. May produce an allergic reaction. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)