according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

UFI:

DYJW-KD8C-SJ6V-YNHA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Aroma fragrance concentrates are used in aroma grottos, steam rooms and Thermarien. The concentrate is the steam lines added undiluted doses, about 3 ml Also, the concentrates can be used in the Finnish sauna, the sauna-like fragrance concentrate Dosage: 5-10 ml to 1 liter of water, mix well.

### 1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax:06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	
<u>1.4. Emergency telephone</u> number:	06131 19240 Giftinformationszentrum (GIZ) o Hessen	der Länder Rheinland-Pfalz und

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Flam. Liq. 3; H226 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## GB CLP Regulation

#### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol turpentine, oil dipentene; limonene

Signal word:

Warning

**Pictograms:** 



#### Hazard statements

H226	
H317	
H319	

Flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye irritation.

## according to UK REACH Regulation

# Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Aroma-Duftkonzentrat Wüstenwind ArtNr. 64413, 64213, 64313				
evision date: 07.06.2023	Product code: F1000739	Page 2 of 9		
H336	May cause drowsiness or dizziness.			
H412	Harmful to aquatic life with long lasting effects.			
Precautionary statemer	nts			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
P261	Avoid breathing smoke.			
P271	Use only outdoors or in a well-ventilated area.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P273	Avoid release to the environment.			
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.			
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.			
P362+P364	Take off contaminated clothing and wash it before reuse.			
P312	Call a POISON CENTER/doctor if you feel unwell.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P370+P378	In case of fire: Use CO2 to extinguish.			
P233	Keep container tightly closed.			
P403+P235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
Special labelling of cert	tain mixtures			
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, turpentine, oil, dipentene; limonene. May produce an allergic reaction.			
Labelling of packages v	where the contents do not exceed 125 ml			
Signal word:	Warning			
Pictograms:				

Hazard statements H317-H412 Precautionary statements P261-P272-P280-P333+P313-P362+P364

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 3 of 9

#### Hazardous components

CAS No	Chemical name					Quantity
	EC No		Index No		REACH No	
	Classification (GB CLF	PRegulation)				
67-63-0	propan-2-ol; isopropyl	alcohol; isopr	opanol			40 - < 45 %
	200-661-7		603-117-00-0			
	Flam. Liq. 2, Eye Irrit.	2, STOT SE 3	3; H225 H319 H336			
8006-64-2	turpentine, oil					<1 %
	232-350-7		650-002-00-6			
			ox. 4, Acute Tox. 4, Skin Ir 32 H312 H302 H315 H319			
138-86-3	dipentene; limonene					<1 %
	205-341-0		601-029-00-7			
	Flam. Liq. 3, Skin Irrit. H400 H410	2, Skin Sens	1, Aquatic Acute 1, Aqua	tic Chronic	: 1; H226 H315 H317	

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	40 - < 45 %	
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg			
8006-64-2	232-350-7	turpentine, oil	<1 %	
inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg				

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

If victim is at risk of losing consciousness, position and transport on their side.

#### After inhalation

Provide fresh air. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Seek medical attention if problems persist.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

## Unsuitable extinguishing media

#### High power water jet.

according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 4 of 9

## 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

#### Further information on storage conditions

Protect against: heat.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

#### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

.Tightly sealed safety glasses.

#### Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### **Respiratory protection**

Respiratory protection necessary at: insufficient ventilation.Work in well-ventilated zones or use proper respiratory protection.

according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 5 of 9

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

<u>5.1. III01118</u>	ation on basic physical and che	inical properties		
Physical	state:	liquid:		
Colour:		colourless		
Odour:		characteristic		
Melting p	point/freezing point:		No data available	
Boiling p	oint or initial boiling point and		not determined	
boiling ra	0			
Lower ex	xplosion limits:		not determined	
Flash po			24 °C	
pH-Valu	e (at 20 °C):		5-6	
Water so	olubility:		Immiscible	
Vapour p	pressure:		not determined	
Vapour p	pressure:		not determined	
Density:			0,920 g/cm³	
9.2. Other in	nformation			
Informat	tion with regard to physical haz	ard classes		
Explosiv	e properties			
not E	Explosive.			
Sustainii	ng combustion:		No data available	
Other sa	afety characteristics			
Sublimat	tion point:		not determined	

## **SECTION 10: Stability and reactivity**

## 10.4. Conditions to avoid

none

#### 10.6. Hazardous decomposition products

none

#### Further information

No risks worthy of mention.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

## according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 6 of 9

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 5045 mg/l	4570- <g< td=""><td>Rat.</td><td></td><td></td></g<>	Rat.		
	dermal	LD50 13400 mg	12800- /kg	Rabbit		
	inhalation vapour	LC50 mg/l	30-46,5	Rat.		
8006-64-2	turpentine, oil					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains propan-2-ol; isopropyl alcohol; isopropanol, turpentine, oil, dipentene; limonene. May produce an allergic reaction.May cause an allergic skin reaction. (turpentine, oil; dipentene; limonene) weakly sensibilizing.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive.

- irritant.
- Mutagen
- none
- Carcinogenicity
- none
- Teratogen
- none
- Phototoxicity none
- none

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms.

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023

Product code: F1000739

Page 7 of 9

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

2 hazardous to water (WGK 2) Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

#### Contaminated packaging

Dispose of waste according to applicable legislation. Cleaning agent. Water (with cleaning agent).

## **SECTION 14: Transport information**

Land transport	(ADR/RID)
----------------	-----------

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALKOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	LQ7
Hazard No:	33
Tunnel restriction code:	D/E
Other applicable information (land trans	port)
Special provisions: 274 601 640H	
E1	
Transport category: 3	
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Marine pollutant:	•
Limited quantity:	5 L
EmS:	F-E, S-E
Other applicable information (marine tra Special provisions: 223, 330, 274, 944,	
E1	

## according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Aroma-Duitkonzentrat wustenwind ArtNr. 64413, 64213, 64313			
Revision date: 07.06.2023	Product code: F1000739	Page 8 of 9	
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1993		
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.		
14.3. Transport hazard class(es):	3		
14.4. Packing group:			
Hazard label:	3		
Limited quantity Passenger:	10 L		
IATA-packing instructions - Passenger:	309		
IATA-max. quantity - Passenger:	60 L		
IATA-packing instructions - Cargo:	310		
IATA-max. quantity - Cargo:	220 L		
Other applicable information (air transpo	ort)		
E1			
Y309			
Special provisions: A3			
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user Flammable liquids			
14.7. Maritime transport in bulk according t	to IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVII)	:		
Entry 3, Entry 40, Entry 75			
2004/42/EC (VOC):	377,20 g/l		
National regulatory information			
Water hazard class (D):	2 - obviously hazardous to water		
Additional information			
Customs tariff number 33029010			
SECTION 16: Other information			

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.

## according to UK REACH Regulation

## Aroma-Duftkonzentrat Wüstenwind Art.-Nr. 64413, 64213, 64313

Revision date: 07.06.2023	Product code: F1000739	Page 9 of 9
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol, turpentine, oil, dipentene; limonene. May produce an allergic reaction.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)